

107TH CONGRESS  
2D SESSION

# S. 2702

To suspend temporarily the duty on low expansion laboratory glass.

IN THE SENATE OF THE UNITED STATES

JUNE 28, 2002

Mrs. CLINTON (for herself and Mr. SCHUMER) introduced the following bill;  
which was read twice and referred to the Committee on Finance

## A BILL

To suspend temporarily the duty on low expansion laboratory glass.

1 *Be it enacted by the Senate and House of Representa-*  
2 *tives of the United States of America in Congress assembled,*

3 **SECTION 1. LOW EXPANSION LABORATORY GLASS.**

4 (a) IN GENERAL.—Subchapter II of chapter 99 of  
5 the Harmonized Tariff Schedule of the United States is  
6 amended by inserting in numerical sequence the following  
7 new heading:

“ 9902.70.17	Laboratory, hygienic, or pharmaceutical glassware, whether or not graduated or calibrated, having a low expansion borosilicate glass and aluminoborosilicate glass having a linear coefficient of expansion not exceeding 3.3 x 10 <sup>-7</sup> per Kelvin within a temperature range of 0° to 300°C (provided for in subheading 7017.20.00). .....	Free	No change	No change	On or before 12/31/2007	”.
--------------	--	------	-----------	-----------	-------------------------	----

1       (b) EFFECTIVE DATE.—The amendment made by  
2 subsection (a) applies with respect to goods entered, or  
3 withdrawn from warehouse for consumption, on or after  
4 the date that is 15 days after the date of enactment of  
5 this Act.

○