

110TH CONGRESS  
1ST SESSION

# H. R. 2787

---

IN THE SENATE OF THE UNITED STATES

NOVEMBER 1, 2007

Received; read twice and referred to the Committee on Banking, Housing, and  
Urban Affairs

---

## AN ACT

To amend the National Manufactured Housing Construction  
and Safety Standards Act of 1974 to require that weath-  
er radios be installed in all manufactured homes manu-  
factured or sold in the United States.

1       *Be it enacted by the Senate and House of Representa-*  
2       *tives of the United States of America in Congress assembled,*

1 **SECTION 1. SHORT TITLE.**

2       This Act may be cited as the “CJ’s Home Protection  
3 Act of 2007”.

4 **SEC. 2. CONGRESSIONAL FINDINGS.**

5       The Congress finds that—

6           (1) nearly 20,000,000 Americans live in manu-  
7       factured homes, which often provide a more acces-  
8       sible and affordable way for many families to buy  
9       their own homes;

10          (2) manufactured housing plays a vital role in  
11       providing housing for low- and moderate-income  
12       families in the United States;

13          (3) NOAA Weather Radio (NWR) is a nation-  
14       wide network of radio stations broadcasting contin-  
15       uous weather information directly from a nearby Na-  
16       tional Weather Service (NWS) office, and broadcasts  
17       NWS warnings, watches, forecasts, and other all-  
18       hazard information 24 hours a day;

19          (4) the operators of manufactured housing com-  
20       munities should be encouraged to provide a safe  
21       place of shelter for community residents or a plan  
22       for the evacuation of community residents to a safe  
23       place of shelter within a reasonable distance of the  
24       community for use by community residents in times  
25       of severe weather, including tornados and high

1 winds, and local municipalities should be encouraged  
 2 to require approval of these plans;

3 (5) the operators of manufactured housing com-  
 4 munities should be encouraged to provide a written  
 5 reminder semiannually to all owners of manufac-  
 6 tured homes in the manufactured housing commu-  
 7 nity to replace the batteries in their weather radios;  
 8 and

9 (6) weather radio manufacturers should include,  
 10 in the packaging of weather radios, a written re-  
 11 minder to replace the batteries twice each year and  
 12 written instructions on how to do so.

13 **SEC. 3. FEDERAL MANUFACTURED HOME CONSTRUCTION**  
 14 **AND SAFETY STANDARD.**

15 Section 604 of the National Manufactured Housing  
 16 Construction and Safety Standards Act of 1974 (42  
 17 U.S.C. 5403) is amended by adding at the end the fol-  
 18 lowing new subsection:

19 “(i) WEATHER RADIOS.—

20 “(1) CONSTRUCTION AND SAFETY STAND-  
 21 ARD.—The Federal manufactured home construction  
 22 and safety standards established by the Secretary  
 23 under this section shall require that each manufac-  
 24 tured home delivered for sale shall be supplied with

1 a weather radio inside the manufactured home  
2 that—

3 “(A) is capable of broadcasting emergency  
4 information relating to local weather conditions;

5 “(B) is equipped with a tone alarm;

6 “(C) is equipped with Specific Alert Mes-  
7 sage Encoding, or SAME technology; and

8 “(D) complies with Consumer Electronics  
9 Association (CEA) Standard 2009–A (or cur-  
10 rent revision thereof) Performance Specification  
11 for Public Alert Receivers.

12 “(2) LIABILITY PROTECTIONS.—No aspect of  
13 the function, operation, performance, capabilities, or  
14 utilization of the weather radio required under this  
15 subsection, or any instructions related thereto, shall  
16 be subject to the requirements of section 613 or 615  
17 or any regulations promulgated by the Secretary  
18 pursuant to the authority under such sections.”.

19 **SEC. 4. ESTABLISHMENT.**

20 Not later than the expiration of the 90-day period  
21 beginning on the date of the enactment of this Act, the  
22 consensus committee established pursuant to section  
23 604(a)(3) of the National Manufactured Housing Con-  
24 struction and Safety Standards Act of 1974 (42 U.S.C.  
25 5304(a)(3)) shall develop and submit to the Secretary of

1 Housing and Urban Development a proposed Federal  
2 manufactured home construction and safety standard re-  
3 quired under section 604(i) of such Act (as added by the  
4 amendment made by section 3 of this Act). Notwith-  
5 standing section 604(a)(5)(B) of such Act, the Secretary  
6 of Housing and Urban Development shall issue a final  
7 order promulgating the standard required by such section  
8 604(i) not later than the expiration of the 90-day period  
9 beginning upon receipt by the Secretary of the proposed  
10 standard developed and submitted by the consensus com-  
11 mittee.

12 **SEC. 5. STUDY.**

13       The Secretary of Housing and Urban Development  
14 shall conduct of study regarding conditioning the applica-  
15 bility of the requirement under the amendment made by  
16 section 3 of this Act (relating to supplying weather radios  
17 in manufactured homes) on the geographic location at  
18 which a manufactured home is placed, but only to the ex-  
19 tent that such requirement applies to new manufactured  
20 homes and new site-built homes. In conducting such study  
21 and making determinations under to the study, the Sec-  
22 retary shall take into consideration severe weather condi-  
23 tions, such as high winds and flooding, and wind zones  
24 and other severe weather data available from the National  
25 Weather Service. Not later than the expiration of the 18-

1 month period beginning on the date of the enactment of  
2 this Act, the Secretary shall complete the study and sub-  
3 mit a report regarding the results of the study to the Com-  
4 mittee on Financial Services of the House of Representa-  
5 tives and to the Committee on Banking, Housing, and  
6 Urban Affairs of the Senate.

Passed the House of Representatives October 30,  
2007.

Attest:                      LORRAINE C. MILLER,  
*Clerk.*