

115TH CONGRESS
2D SESSION

H. RES. 731

Supporting the goals and ideals of National Black HIV/AIDS Awareness Day.

IN THE HOUSE OF REPRESENTATIVES

FEBRUARY 7, 2018

Ms. LEE (for herself, Ms. NORTON, Mr. PAYNE, Mr. SERRANO, Ms. MCCOLLUM, Mr. NADLER, Mr. GRIJALVA, Ms. BORDALLO, Mr. ELLISON, Mr. KHANNA, Ms. WASSERMAN SCHULTZ, Mr. THOMPSON of Mississippi, Ms. WILSON of Florida, Mr. LEWIS of Georgia, Ms. CLARKE of New York, Mr. RICHMOND, Ms. SLAUGHTER, Mr. JOHNSON of Georgia, Ms. BASS, Mr. COHEN, Ms. BARRAGÁN, Mr. LAWSON of Florida, Ms. SCHAKOWSKY, Mr. MEEKS, Mr. POCAN, Mr. HASTINGS, Mr. GOMEZ, Mr. LOWENTHAL, Mr. SCHIFF, Mr. CARTWRIGHT, Ms. FRANKEL of Florida, Mr. DANNY K. DAVIS of Illinois, Mr. DEUTCH, Ms. MOORE, Mr. ENGEL, Ms. CASTOR of Florida, Mr. SEAN PATRICK MALONEY of New York, Mr. CRIST, Mr. CARSON of Indiana, Ms. JAYAPAL, Ms. ADAMS, Ms. MAXINE WATERS of California, Mr. MCEACHIN, Mr. MCGOVERN, Mrs. WATSON COLEMAN, Ms. ROYBAL-ALLARD, Mr. DAVID SCOTT of Georgia, Ms. SPEIER, Ms. EDDIE BERNICE JOHNSON of Texas, Ms. JACKSON LEE, and Mr. CAPUANO) submitted the following resolution; which was referred to the Committee on Energy and Commerce

RESOLUTION

Supporting the goals and ideals of National Black HIV/AIDS Awareness Day.

Whereas the Centers for Disease Control and Prevention (CDC) estimates that in the United States more than 1,100,000 people are living with HIV, and 15 percent do not know they are infected;

Whereas in 2016, approximately 39,782 people were diagnosed with HIV in the United States;

Whereas since the beginning of the HIV/AIDS epidemic in the United States, racial and ethnic minorities have been disproportionately affected by the disease;

Whereas African Americans are diagnosed with AIDS later than their White counterparts, are confronted with greater barriers in accessing care and treatment, and face higher morbidity and mortality outcomes;

Whereas African Americans account for nearly half of all those with AIDS who have died in the United States since the beginning of the epidemic;

Whereas in 2014, 3,591 African Americans died of HIV or AIDS, accounting for 53 percent of total deaths attributed to the disease that year;

Whereas in 2014, HIV/AIDS was the 6th leading cause of death for Black men overall and for Black women ages 25–34, and the 5th for Black men ages 35–44 and 4th for Black women ages 35–44 in 2014, ranking higher than their respective counterparts in any other racial/ethnic group;

Whereas in 2016, African Americans represented 44 percent of all people living with HIV in the United States, despite comprising just 13 percent of the United States population;

Whereas in 2016, over 17,000 African Americans were diagnosed with HIV;

Whereas African-American gay and bisexual men are more affected by HIV than any other group in the United States, accounting for a higher proportion of HIV diag-

noses, those living with HIV, those ever diagnosed with AIDS, and HIV/AIDS-related deaths;

Whereas in 2015, more than half of African Americans diagnosed with HIV were gay or bisexual men;

Whereas in 2015, among all gay and bisexual men who had received an HIV diagnosis, African Americans accounted for the highest number (39 percent);

Whereas according to a 2016 study by the CDC, an estimated half of Black gay men will be diagnosed with HIV in their lifetime, if current HIV diagnoses rates persist;

Whereas homophobia, stigma, and discrimination pose major obstacles to HIV testing, treatment and other prevention services for gay and bisexual African-American men;

Whereas among all women diagnosed with HIV in 2015, 61 percent were African American, despite comprising only 14 percent of the female population in the United States;

Whereas African-American women face the highest risk of HIV and other sexually transmitted infections (STIs) compared with women of other groups;

Whereas the HIV diagnosis rate for African-American women remains 16 times as high as that of White women, and almost five times that of Hispanic women;

Whereas among African-American women, the leading transmission category of HIV infection is heterosexual contact, followed by intravenous drug use;

Whereas research indicates that the high incarceration rates of Black men may contribute to the disproportionate rates of HIV infections among Black women;

Whereas in 2010—the most recent data available—there were more than 20,000 inmates with HIV/AIDS in State

and Federal prisons, a prevalence that is 4 times the rate of HIV in the general population;

Whereas among incarcerated populations, African-American men are 5 times as likely as White men, and twice as likely as Hispanic/Latino men, to be diagnosed with HIV;

Whereas among incarcerated populations, African-American women are more than twice as likely to be diagnosed with HIV as White or Hispanic/Latino women;

Whereas transgender women in the United States are at high risk for HIV;

Whereas half of all transgender people diagnosed with HIV are Black or African American;

Whereas the Southern United States now experiences the highest burden of the HIV/AIDS epidemic;

Whereas Southern States account for an estimated 44 percent of all people living with HIV, despite having just 37 percent of the overall United States population;

Whereas African Americans are severely and disproportionately affected by HIV in the South, accounting for 54 percent of all new HIV infections in the region;

Whereas socioeconomic issues impact the rates of HIV infection among African Americans in the South and throughout the United States;

Whereas socioeconomic factors like income inequality, poverty, and lack of access to HIV prevention education and basic health services, and cultural factors like homophobia, transphobia, and racism all pose significant challenges to combating the HIV/AIDS epidemic;

Whereas we are seeing signs of progress;

Whereas from 2010 to 2014, HIV diagnoses among African-American women fell by nearly 25 percent and have also fallen sharply among African Americans who inject drugs;

Whereas testing, education, counseling, and harm reduction practices are all critical to prevent HIV;

Whereas life-saving treatment is also a proven prevention tool, and research shows that antiretroviral drugs can reduce the amount of virus to undetectable levels (also known as viral suppression), effectively resulting in no risk of transmission of HIV;

Whereas in 2012, the Food and Drug Administration approved pre-exposure prophylaxis (PrEP) as prevention for people who are HIV-negative;

Whereas PrEP can reduce the risk of HIV infection for HIV-negative people by up to 99 percent;

Whereas in 1998, Congress and the Clinton administration created the National Minority AIDS Initiative to help coordinate funding, build capacity, and provide prevention, care, and treatment services within the African-American, Hispanic, Asian Pacific Islander, and Native American communities;

Whereas the National Minority AIDS Initiative assists with leadership development of community-based organizations (CBOs), establishes and links provider networks, builds community prevention infrastructure, promotes technical assistance among CBOs, and raises awareness among African-American communities;

Whereas 2018 marks the twentieth year of the National Minority AIDS Initiative which has successfully established life-saving services and programs to address the needs of

those communities, families, and individuals most impacted and burdened HIV;

Whereas in 2010, the Obama administration unveiled the first National HIV/AIDS Strategy, which identified a set of priorities and strategic action steps tied to measurable outcomes for moving the Nation forward in addressing the domestic HIV epidemic;

Whereas in 2012 the National Association for the Advancement of Colored People (NAACP) released a manual of best practices for faith leaders to mobilize communities, advocate for community support for people infected with and affected by HIV/AIDS, and organize dialogues on HIV/AIDS as a social justice issue as part of “The Black Church and HIV: The Social Justice Imperative”;

Whereas in July 2015, the “National HIV/AIDS Strategy for the United States: Updated to 2020” was released and included actions and goals in order to reduce HIV-related disparities and inequalities;

Whereas the Affordable Care Act’s expansion of Medicaid and reforms to the individual insurance market have helped lower the uninsured rates for nonelderly African Americans by more than one-third between 2013 and 2016, leading to better health outcomes for African Americans living with or at risk of HIV;

Whereas National Black HIV/AIDS Awareness Day was founded by 5 national organizations in 1999 to provide capacity-building assistance to Black communities and organizations;

Whereas each year on February 7, individuals, organizations, and policy makers across the Nation participate in National Black HIV/AIDS Awareness Day to promote HIV

education, testing, community involvement, and treatment in Black communities; and

Whereas the theme for National Black HIV/AIDS Awareness Day 2018 is “Stay the Course, the Fight is Not Over”:
Now, therefore, be it

1 *Resolved*, That the House of Representatives—

2 (1) supports the goals and ideals of National
3 Black HIV/AIDS Awareness Day;

4 (2) encourages State and local governments, in-
5 cluding their public health agencies, and media orga-
6 nizations to recognize and support such day, to pub-
7 licize its importance among their communities, and
8 to encourage individuals, especially African Ameri-
9 cans, to get tested for HIV;

10 (3) commends the work of AIDS service organi-
11 zations, community-based organizations, faith-based
12 organizations providers, community health centers
13 and health departments that are providing effective,
14 evidence-based, prevention, treatment, care, and sup-
15 port services to people living with and vulnerable to
16 HIV/AIDS;

17 (4) supports the implementation of the National
18 HIV/AIDS Strategy and its goals to reduce new
19 HIV infections, increase access to care and improve
20 health outcomes for people living with HIV, reduce
21 HIV-related disparities and health inequities, and

1 achieve a more coordinated national response to the
2 HIV/AIDS epidemic;

3 (5) supports reducing the impact of incarceration
4 as a driver of new HIV infections within the
5 African-American community;

6 (6) supports reducing the number of HIV infec-
7 tions in the African-American community resulting
8 from intravenous drug use;

9 (7) supports effective and comprehensive HIV
10 prevention education programs to promote the early
11 identification of HIV through voluntary routine test-
12 ing, and to connect those in need to clinically and
13 culturally appropriate care and treatment as early as
14 possible;

15 (8) supports appropriate funding for HIV/AIDS
16 prevention, care, treatment, research, and housing,
17 including community-based approaches to fight stig-
18 ma, discrimination, racism, sexism, homophobia, and
19 transphobia; and

20 (9) encourages comprehensive prevention, treat-
21 ment, and care strategies that empower public
22 health workers, educators, faith leaders, and other
23 stakeholders to engage their communities to help de-
24 crease violence, discrimination, and stigma towards

- 1 individuals who disclose their sexual orientation,
- 2 gender identity, or HIV status.

